

Table of Contents

General settings 3

General settings

Access the Lookup table to modify several categories of system settings and options. These are categorised using different classes:

Class	Example
Defaults	Default_enable_secret
Internal	Version of SQL database
ML3_service_type_migration	Contains translations of servicetypes for the use in a migration
NodeType	Translations for nodetypes
Password	Configurable rules to create a password policy
Migration	Migrationphases
Profiles	Site and Node profile definitions
Translation	Client status translation
Tweaks	Option to modify a production template
Vendors	Per vendor the type, comment-string and cr-lf behaviour

For more information on which tweaks mean what, please refer to the For more information, refer to the [Settings Tweaks](#)

General settings

Class: Tweaks

Variable	String value	Num value	Class	Description
Age_action_logs	-	365	Tweaks	do not keep Action_log entries older than Num_value days. Default = 400
Age_config_logs	-	365	Tweaks	do not keep Config_log entries older than Num_value days. Default = 100
Age_custom_reports	-	30	Tweaks	do not keep Custom reports older than Num_value days. Default = 30
Age_nccm_data	-	800	Tweaks	do not keep NCCM entries older than Num_value days. Default = 800
Age_node_logs	-	365	Tweaks	do not keep Node_log entries older than Num_value days. Default = 400
Age_result_files	-	30	Tweaks	do not keep Job log files older than Num_value days. Default = 30
Age_task_logs	-	365	Tweaks	do not keep Task_log entries older than Num_value days. Default = 100
Age_temp_files	-	15	Tweaks	do not keep temp files older than Num_value days. Default = 15
AllowCustomReportsD...	456	0	Tweaks	Custom reports will decrypt passwords only for those user-levels present in ...
AllowTemplateEdit		1	Tweaks	When number set <>0, editing of production template revision is allowed
Allow_custom_device...	-	0	Tweaks	When set to 1, users are allowed to add custom device types for the OS repo...

NewDeleteSearch

Variable: Age_custom_reports

Class: Tweaks

String value: -

Numerical value: 30


String value b:

Description: do not keep Custom reports older than Num_value days. Default = 30

From:
<https://labs-wiki.netyce.com/> - Technical documentation

Permanent link:
<https://labs-wiki.netyce.com/doku.php/menu:admin:setup:settings>

Last update: 2022/05/16 08:28



Technical documentation - <https://labs-wiki.netyce.com/>

